



DINGWALL & HIGHLAND MARTS LIMITED

Tel. 01349 863252 Fax. 01349 865062 www.dingwallmart.co.uk

IMPORTANT AND EXTENSIVE DISPLENISH SALE OF TRACTORS, MACHINERY, POTATO AND CEREAL EQUIPMENT AT ROSKILL FARM, MUNLOCHY ON BEHALF OF MESSRS J. & S. GRANT ON THURSDAY 24TH MAY 2007 AT 11.00 A.M.

ORDER OF SALE FOR THE CATALOGUE (as at Sunday 20th May 2007)

POTATO STORE

GRADING AND OTHER INDOOR EQUIPMENT

Sixteen 8ft tubular chitting shed lights
Abru step ladder;
2 x Propane Gas Fires (for potato dresser);
Sunny Heater for grading line for pickers;
Tropical Heater, model B300/3, 300,000BTU;
Tropical Heater, model B300/3, 300,000BTU;
Tropical Heater, model B300/3, 300,000BTU;
Tropical Heater; model BX300/1 with chimney, 300,000BTU;
7" Grinder; 7" cutting discs;
9" Grinder; 9" grinding discs;
Truecraft Hosematic hydraulic hose repair kit; hydraulic hose fittings and couplings; hydraulic pipe;
Welder, Pickhill Engineers Ltd, model Giant, serial no 9239, 20 - 220 amps;
Sovereign Dirt Driver Power Washer;
Campair Air Compressor J23 c/w accessories;
Fraser bruiser – 3 phase electric motor, automatic cut out, 2 way chute and sack holder;
Michael Williams Ltd, Big Brute Warehouseman on superglide trolley c/w 15m polyurethane hose;
2 x Michael Williams moles, for use with Big Brute, for cleaning under-floor ducts;
Graham & White Instr. Weighmate Senior, capacity 50kg, Model 2050;
Pure Flo Airstream Respirator, with service kit & charcoal/dust filter;
2 x Downs grading stools;
2 x Downs grading stools;
2 x bag stands;
SAC Mini Hot Box
Lingarden Agrometric bag weigher for 25 or 50 kg bags, 3 phase;
Tong automatic bag weighing machine c/w compressor and adjustable height bag support (red);
Tong Automatic Bag Weighing Machine c/w compressor (Feb. '05);
2 x Fischbein-Saxon stitching machines & 2 suspension units;
Lingarden sack lifter;
Leslie Smith & Co inspection table for bagged samples;
Team Sprayer Potato Mister;
Lockwood Roller inspection Table and 12 new spare rollers;
Tong Roller Inspection Table (red) 2.4 long x 600 wide, variable speed, variable height;
Tong Roller Inspection Table (red) 2.4 long x 600 wide, variable speed, variable height;
Lingarden Roller inspection/spray applicator table c/w Team Sprayer fungicide applicator, variable speed, variable height;
Lingarden Roller inspection/spray applicator table c/w Team Sprayer fungicide applicator, variable speed, variable height;
Brand new spare electric motor and a reconditioned pump;
Tong elevator box filler, variable speed;
Tong elevator box filler, variable speed;
Leslie Smith & Co. big bag hopper for 1.25t bulk bags (Feb. '01);
Leslie Smith & Co. big bag hopper for 1.25t bulk bags (Feb. '01);
Parker Weighing Beams, 1 set 2000 c/w D110 terminal indicator/printer;
Parker Weighing Beams, set of 2 tonne weighing beams c/w D110 indicator terminal and stand;
Parker Weighing Beams, set of 2000kg beams c/w D1-160 indicator and stand with low feet (Mar. '01);
Parker Weighing Beams, set of AELP 2000 beams with AE106 indicator (Mar. '05);
Toyota hand pallet truck;
Toyota Forklift truck model 5FD 40 with 4.5m mast, sideshift, fourth service for working grain bucket. H380CJS, 7,090hrs (Dec. '90);
Toyota Forklift truck model 5FD30 with 6m mast, sideshift, dual drive wheels, fourth service. J902 EJS, 7,630hrs (Nov. '91);
Toyota Forklift truck model 6FDF30 with 6m mast, sideshift, dual drive wheels, fourth service. N856 DAS, 10,030hrs (Aug '96);
Extension forks for use with a forklift
Farnwood hydraulic box tippler, bulk hopper, pre cleaner, web picking table, cross-conveyor;
Farnwood screen sizer, new spare 3 phase motor;
Tong Potato brusher (reconditioned 2006);
Tong Potato Grader Elevator 3 x 1m elevator driven by 3 phase motor and starter, adjustable height legs (red);
Schouten Step 4 x 120 Grader and pre-inspection roller table, 4 pairs sieves and 7 extra pairs;

POTATO BOXES

2,000 x 1t boxes. Stored under cover for most of their lives. Regularly maintained. To be sold as they come, no selection.

CHITTING TRAYS

Wooden chitting trays (holding 15kg of potatoes);
Plastic chitting trays (holding 15kg of potatoes), approx 1900 to 2000;
Wire chitting trays (holding 25kg of potatoes);

IN THE FIELD

Part worn spare tyres: two 11.2 x 32 and two 16.9 x 38;
New tyres: One 6.00-16 and one Trelleborg 23 x 10.50-12. Four 16.9R38 Radial.

WHEELS

STOCKS DUAL WHEELS

18.4 x 38 1 Set Rear;
6.9 x 38 1 Set Rear;
6.9 x 38 1 Set Rear;
16.9 x 24 1 Set Front;
14.9 x 28 1 Set Front;
14.9 x 24 1 Set Front;
14.9 x 24 1 Set Front;

BETTINSON (SCREW-ON) DUAL WHEELS

13.6 x 12/38 1 Set Rear;
13.6 x 12/38 1 Set Rear;
16.0 x 38 1 Set Rear;

ROW-CROP WHEELS

270/95/R32 Pair;
270/95/R48 Pair - will fit John Deere 6400
270/95/R32 Pair;
270/95/R48 Pair - will fit John Deere 6520
230/95/R32 Pair;
270/95/R48 Pair - will fit John Deere 3140.

Part worn tyres: four 16.9 x 38 radial;

MISCELLANEOUS

Lister Take-put Buckrake;
Front loader Buckrake;
Yard/snow scraper;
Adams Bale Handler, 3 point linkage mounted, to carry 4 round bales;
Big Bale Spike, to fit telescopic handler, quick release hitch mechanism;
Feed Barrow;
Feed Bin;
Trailer chassis;
Knight Harrow - 3 stretchers.
Balmoral water tank 1250l
5 Poldenvale cattle feeder gates; 5 Poldenvale troughs to fit these gates;
11 Poldenvale cattle barrier gates;
2 other gates;
Sheep hay feeder, with troughs, on wheels;
Sheep hay feeder, with troughs, on one wheel;
Weighing crate for sheep;
Walthambury bucket for grain or potatoes;
Lister Elevator – multi level, 1.5 bale extension, 22 metres 4 core cable;
3 x Flash Harry Bird Scarers;
Altrac wheel remover, fully adjustable;

CULTIVATION AND CEREAL EQUIPMENT

Packer roller for Howard or Dowdeswell spiked rotovator;
Kongsilde Cultivator;
Massey Ferguson 70 Rotary Mower;
Flexicoil Roller Model 30C;
Flexicoil 3m trailed packer;
Flexicoil 3m trailed packer;
Lely Hay Turner, 2 row, PTO driven, mounted;
Lely Acrobat, 3 point linkage hay rake;
New Holland Baler 386;
Meijer Flat 8 bale accumulator sledge
Meijer Flat 8 small bale grab with double-acting ram complete with scissor action to fit front loader or telescopic handler;
Sellar 48 small bale Transporter;
Sellar 48 small bale Transporter;
Agric Deep Cultivator S JY 93 Subsoiler, 7 tines;
Massey Ferguson spring tine cultivator (grey);
Massey Ferguson spring tine cultivator (red);
Kverneland 25 tine buckrake c/w hydraulic ram;
Gray of Fetterangus triple Flat Rollers, 1 x 8' and 2 x 6";
McConnell Shakeaerator, 3m frame and 5 shanks;
Dowdeswell Powavator 130/120 c/w spikes & packer roller and a spare set of spikes;
Kverneland Straw Chopper 2.8 flail chopper, different blades for chopping straw or topping pasture (Aug. '03);
Kverneland Plough ED 85/160, 4F reversible, No 9 bodies, front furrow adjuster, complete with hydraulic arm for furrow press;
Kverneland Plough ED 85/200, 4F reversible, No 9 bodies, front furrow adjuster, complete with hydraulic arm for furrow press (Aug. '04);
2 x Köckerling, 2.1 Furrow Press;
Vicon Vari spreader c/w hydraulic remote control, high lift attachment, double joint, stirring device, hopper cores, hedge saver, PS1002
Amazone Fertiliser spreader, model ZAM L3000, 20-38m discs, border disc, test kit and cover;
Amazone Drill, RPD 302 EN, Tramlines, coupling parts, hose and KG301 power harrow;
Amazone KG301 power harrow

SPRAYER AND IRRIGATION EQUIPMENT

Allman 1500l trailed sprayer c/w 105/20 pump, hydraulic booms, 8.3 x 44 wheels, 14m;
Hardi Sprayer, mounted 132 gallon (600 ltr) c/w handwash, water self fill, boom suspension, 12m, 3 section shut-off (Aug. '89);
Case/GEM Sprayer, mounted 2000l Slimline c/w standard equipment, Electro Hydraulics, 24m, 4 sections (Aug. '98), sprayer spares;
Water Tanker on wheels 3,000l;
438 pipes QC HK87 6m long, approx 3½ inch diameter, with rubber rings, 9 x 90° & 9 x 60° degree bends, c/w RSR S4/89;
2 x irrigation pipe transporter trailers, converted from Reekie potato box transporter trailers
Caprari Irrigation water pump;
Bauer Irrigator - Rainstar 75.300D c/w pressure hose, flow valve, reducer, nozzles sizes 18mm, 20mm, 22mm, 24mm (June '85)

POTATO PRE-PLANTING EQUIPMENT

Elbar Deep Ridger;
Pearson 1.8m Rotaforma;

STONE-SEPARATOR

Reekie Stone and Clod Separator, Model 330SA c/w large stone separator unit, track grip tyres, under web stone guard (sold for spares);

Balmoral water tank 1250l

POTATO PLANTING EQUIPMENT

Johnston 2 row hand-fed wheel planter for small plots;
Grimme 2 row Potato Planter fitted with sprayer;
Konings 2 row Potato Planter fitted with sprayer and spud trace applicator;
2 row Horstine Farmery Agroband front-mounted fertiliser placement machine c/w brackets for 3 point linkage;

TIPPLERS

Grays Box Tippler TD4 360 to fit telescopic handler (Oct. '01);
2 x Elliothead box tipplers;

POTATO HARVESTING EQUIPMENT

Turnill Potato Elevator Digger, 2 row fully-mounted Model N for 30" rows;
Amac Harvester, Hydraulic Levelling c/w Electric Elevator Clutch & Final Sorting Belt & Platform;
Grimme GZ1700 DLS Potato Harvester, 2 row, wheel drive, two-way levelling, separator, picking table canopy and 2 cameras (Aug 2000)
c/w special low-damage box-filling fall-breaker;
Spare special low-damage box filling fall-breaker for harvester.

FRONT MOUNTED HAULM TOPPERS

Grimme KS 75-2, wheel deflector system, A frame for front or rear 3 point linkage, centrally mounted gearbox, 540 or 1000 pto speed, (Oct '05);
Jones Engineering front mounted, side delivery auger, for 2 x 30" rows, tractor wheel width 64", operational but fit for very light work only;

TRAILERS

Roco Dumper Trailer for Honda ATV;
Trolley for Honda ATV with 3 point linkage and Honda engine (for use with Vicon fert spreader etc)
1 x wooden 3t trailer
2 x Weeks 3t trailers;
2 x Massey Ferguson Grain Trailers, 10t, ordinary sides;
2 x Massey Ferguson Grain Trailers, 10t, grain extension sides c/w grain chutes;
2 x Ray Larrington trailers, 16.5t, RL21 body size 21'7" x 7'7" x 3'6", removable sides (leaving flat bed for pallets), plus 40cm extension sides (increasing capacity to 794cu ft.), low ground pressure tyres, 4 spare wheels;
Low-loader trailer (for industrial fork lift etc);

POTATO BOX TRAILERS

4 x A Shepherd & Co, six-box transporter trailers;

VEHICLES

Ssangyong 4 x 4 vehicle M806 0JS; 149,281 miles (July '95);
Honda TRX 350 D-K, road legal kit; twist grip & throttle & 2 crash helmets, analogue speedo, designed chassis c/w centrifugal clutch with tool carrier, cab, F23 VJS (June '89);.

TELESCOPIC HANDLER

John Deere JD4400 Rough Terrain Telescopic Handler c/w pick-up hitch and tipping trailer pipe, P476 UJS; 3,856hrs (June '97);

TRACTORS

John Deere JD 3140, 2wd, pickup hitch, irrigation pump tractor, RJS 848V; 4,552hrs (Feb. '80)
John Deere JD 2140, 4wd, SG2 Cab, pickup hitch, AJS 545Y; 13,000hrs approx (Jan. '83);
John Deere JD3140 4wd, SG2 cab, pickup hitch, free return pipe, fitted with John Deere 260 Loader Manure Fork c/w 1/2t bag lifting attachment and Grays bucket, and weight for the back of the tractor, B333 GJS; 12,302hrs (Feb. '85);
John Deere JD 3350 4wd, 40k, SG2 cab, high lift, H531 AJS; 14,053hrs (Nov. '90);
John Deere JD 6400 4wd, 40k, P/quad, passenger seat, L889 KJS; 9,824hrs (Sept. '93);
John Deere JD 6400 4wd, 40k, P/quad, front linkage, passenger seat, M426 NJS; 8,813hrs (Sept. '94);
John Deere JD 6510 4wd, 40k, P/quad, front linkage, passenger seat, S606 RJS; 6,696hrs (Jan. '99);
John Deere JD6610 4wd, 40k, P/quad, front linkage, passenger seat, X268 RJS; 4,128hrs (Feb. '01);
John Deere JD6520 4wd, 40k, P/quad, front linkage, passenger seat, SY51 EWG; 4,235hrs (Feb. '02);
John Deere JD6520 4wd, 40k, P/quad, front linkage, passenger seat, SY52 UVX; 2,551hrs (Feb. '03);
Front weights box to fit;
John Deere JD6620 125HP 4wd, 40k, Auto Quad Plus, front linkage, passenger seat, SY53 BWL; 3,550hrs (Jan. '04);
Front weights box to fit;
John Deere JD6620 125HP 4wd, 40k, Auto Quad Plus, front linkage, front PTO, passenger seat, SY54 CXV; 1,635hrs (Feb. '05);
Front weights box to fit;
Spare IH and MF front weights.

All hours and miles for machines read on Monday 14th May 2007.

FURTHER ENQUIRIES TO:- JAMES M G GRANT on 01463 811207. www.tatties.com E-mail: grant@tatties.com